

ORDINANCE NO. 31-2016

Amending Ordinance No. 44-2015 (As Amended) to Adjust the Annual Budget by Providing for an Appropriation from the Capital Improvements Fund Unappropriated Balance to Pay the Design Costs of the Municipal Building Chimney Repair Project and all Related Expenses and Determining to Proceed with said Project. (Project No. 632-16)

WHEREAS, the Charter of the City of Worthington, Ohio, provides that City Council may at any time amend or revise the Budget by Ordinance, providing that such amendment does not authorize the expenditure of more revenue than will be available;

NOW, THEREFORE, BE IT ORDAINED by the Council of the Municipality of Worthington, County of Franklin, State of Ohio:

SECTION 1. That there be and hereby is appropriated from the Capital Improvements Fund Unappropriated Balance to Account No. 308.8130.533361 an amount not to exceed Twenty-Five Thousand Dollars (\$25,000.00) to pay the design cost of the Municipal Building Chimney Repair Project and all related expenses (Project 632-16).

SECTION 2. For the purposes of Section 2.21 of the Charter of the City, this ordinance shall be considered an "Ordinance Determining to Proceed" with the Project, notwithstanding future actions of this Council, which may be necessary or appropriate in order to comply with other requirements of law.

SECTION 3. That notice of passage of this Ordinance shall be posted in the Municipal Administration Building, the Worthington Library, the Griswold Center and the Worthington Community Center and shall set forth the title and effective date of the Ordinance and a statement that the Ordinance is on file in the office of the Clerk of Council. This Ordinance shall take effect and be in force from and after the earliest period allowed by law and by the Charter of the City of Worthington, Ohio.

Passed September 19, 2016

/s/ Bonnie D. Michael  
President of Council

Attest:

/s/ D. Kay Thress  
Clerk of Council

Introduced September 6, 2016  
P.H. September 19, 2016  
Effective October 12, 2016